

# LAB VALUES

from Labnet International

## Spring/Summer 2018 CENTRIFUGATION

Special offers valid May 1 - August 31, 2018



### High Performance Benchtop Centrifuge

- Ambient and refrigerated models
- Capacity up to 400 mL with swing out & fixed angle rotor
- Speed range 90-18,000 rpm/24,270 x g

**\$3,576**

**AMBIENT**

introductory price - save 10%

**\$5,579**

**REFRIGERATED**

introductory price - save 10%

### Ordering Information

C0336 *High Performance Bench Top Centrifuge, ambient*

C0336R *High Performance Bench Top Centrifuge, refrigerated*

### Labnet Mini Centrifuge

- Quick release rotor system
- Electronic braking
- Compact, rugged design
- Dual lid switch
- Rotors accommodate 8 microtubes or 4 PCR strip tubes

**\$175**

introductory price - save 10%



### Ordering Information

C1601\* *Mini Centrifuge, with 8 place tube rotor and 4 place PCR strip tube rotor and adapters for 0.5 mL tubes, 0.2 mL tubes and 0.25 mL tubes*

\*add-B (blue), -G (gray), -P (purple), -R (red), for lid color

**\$ PRING \$ AVINGS**

See Page 4  
for  
Clearance  
Items

# RELIABLE -- AFFORDABLE SPECTRAFUGE™



## 6C

- Digital Display
- Speed range 300-6,500 rpm
- Small footprint
- Max capacity 6 x 15 mL

**\$880**

(List \$978)

SPLV-3.18



## 24D

- Digital Display
- Speed range 500-13,300 rpm
- Max capacity 24 x 1.5/2.0 mL
- Timer 1-30 min or continuous
- "Quick" button for quick spins

**\$1,476**

(List \$1,640)

SPLV-4.18



## 16M

- Analog Display
- Speed range 1,000-14,000 rpm
- Max capacity 18 x 1.5/2.0 mL
- Timer 1-30 min or continuous
- "Quick" button for quick spins

**\$1,128**

(List \$1,253)

SPLV-5.18



## Clinical Centrifuge



## Z100-A

- Analog Display
- Speed range 1,000-4,000 rpm
- Max capacity 6 x 10/15 mL round or conical
- Timer 1-30 min or continuous

**\$429**

(List \$477)

SPLV-6.18



### Ordering Information

- C0060     **6C**, complete with 6 x 10/15 mL rotor
- C0160     **16M**, with 18 place rotor for 1.5/2.0 mL tubes, standard gray
- C2400     **24D**, with 24 place rotor for 1.5/2.0 mL tubes, standard gray
- C0100-A   **Z100-A** Clinical centrifuge with 6 x 10/15 mL rotor

# PRISM™

## Ambient

- Digital Display
- Speed range 500-15,000 rpm
- Max capacity 24 x 1.5/2.0 mL
- Timer 0.5-99 min or continuous
- "Quick" button for quick spins



**\$1,592**  
(List \$1,769)  
SPLV-7.18

SAVE 10%

## Refrigerated

- Digital Display
- Temp range -10° to 40°C
- Speed range 500-15,000 rpm
- Max capacity 24 x 1.5/2.0 mL
- Timer 0.5-99 min or continuous
- "Quick" button for quick spins



**\$4,167**  
(List \$4,630)  
SPLV-8.18

## Mini

- Rotor speed 6,000 rpm
- Max capacity 8 x 1.5/2.0 rotor mL and 4 x .2 mL strips
- Compact and economical



**\$184**  
(List \$204)  
SPLV-9.18

# SPECIALTY CENTRIFUGE

## MPS Plate Spinner

SAVE 10%

- Designed for centrifugation of PCR microplates
- Capacity 2 standard plates
- Top loading design
- Exceptionally small footprint



**\$549**  
(List \$610)

SPLV-10.18

**FREE adapter**  
with purchase  
a \$56 value



### Ordering Information

- C2500 **Prism** air-cooled microcentrifuge with 24 place rotor  
C2500-R **Prism R** refrigerated microcentrifuge with 24 place rotor  
C1801 **Prism Mini** centrifuge  
C1000 **MPS 1000 Plate Spinner** centrifuge



# CLEARANCE CORNER

The discontinued units below are being offered at a **25% discount** while quantities last!!

## Z206-A

Speed range 200-6,000 rpm      Dimensions 11 x 14.6 x 10.2 in  
Max capacity 12 x 15mL or 6 x 50mL      Weight 30 lb  
Timer 10 s to 99 m 59s or continuous



**\$1,478**  
(List \$1,971)  
SPLV-11.18

Order# C0206-A

## Z306

Speed range 10-13,500 rpm      Dimensions 14 x 18.6 x 13 in  
Max capacity 4 x 100 mL      Weight 60 lb  
Timer 10 s to 99 h 59 s



**\$1,847**  
(List \$2,462)  
SPLV-12.18

Order# C0306

## Z326

Speed range 200-18,000 rpm      Dimensions 15.7 x 18.9 x 14 in  
Max capacity 4 x 100 mL      Weight 95 lb  
Timer 10 s to 99 hr 59 s  
"Quick Button"



**\$3,878**  
(List \$5,171)  
SPLV-13.18

Order# C0326

## Z326-K

Speed range 200-18,000 rpm      Dimensions 5.7 x 27.6 x 14 in  
Max capacity 4 x 100mL      Weight 132 lb  
Timer 10 s to 99 r 59 s      Temp range: -20° to +40°C  
"Quick Button"



**\$5,644**  
(List \$7,525)  
SPLV-14.18

Order# C0326-K

## Z446

Speed range 200-16,000 rpm      Dimensions 21 x 15 x 26 in  
Max capacity 4 x 750 mL      Weight 174 lb  
Running time 59 min 50s/10s increments  
99 h to 59m 50 s in 1 m increments



**\$5,134**  
(List \$6,845)  
SPLV-15.18

Order# C0446

## Spectrafuge Mini

Speed range 6,000 rpm      Dimensions 6 x 6 x 5 in  
Max capacity 2 x 0.2 mL strips      Weight 1 lb  
6 x 1.5/2.0 ml tubes



**\$146**  
(List \$195)  
SPLV-16.18

Order# C1301 (gray)  
add -B (blue), -P (purple),  
-R (red), -T (teal)

You can now find Labnet on all major social media channels including Facebook, Twitter and YouTube



**FOLLOW US & LIKE US!**

# Labnet

Labnet International

33 Wood Ave. South, Iselin, NJ 08830  
(p) 732.417.0700  
labnetinfo@corning.com  
www.labnetinternational.com